

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	499251	(('set top' cable CATV TV subscriber television video satellite DBS digital) NEAR2 (box terminal unit device converter decoder)) or STB or STT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:36
2	L2	44	((1 TV CATV television) NEAR6 (remov\$4 upgrad\$3 enhanc\$6 tun\$3) NEAR6 (card device means chassis)) WITH (CPU microprocessor) WITH (memory \$2RAM ROM storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:46
3	L3	3	2 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:47
4	L4	3	2 AND ((@ad <= "19931202") or (@rlad <= "19931202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:46
5	L5	433	((1 TV CATV television) WITH (remov\$4 upgrad\$3 enhanc\$6 tun\$3) WITH (card device means chassis)) SAME (CPU microprocessor) SAME (memory \$2RAM ROM storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:48

	L #	Hits	Search Text	DBs	Time Stamp
6	L6	66	5 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:48
7	L7	86	((1 TV CATV television) WITH (remov\$4 upgrad\$3 enhanc\$6 tun\$3) WITH (card means chassis)) SAME (CPU microprocessor) SAME (memory \$2RAM ROM storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:49
8	L8	2	7 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:49
9	L9	170	((1 TV CATV television) WITH (remov\$4 upgrad\$3 enhanc\$6 tun\$3) WITH (card means chassis modul\$2)) SAME (CPU microprocessor) SAME (memory \$2RAM ROM storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:51
10	L10	18	9 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:52

	L #	Hits	Search Text	DBs	Time Stamp
11	L11	217	((1 TV CATV television) WITH (remov\$4 upgrad\$3 enhanc\$6 tun\$3 expans\$4) WITH (card means chassis modul\$2)) SAME (CPU microprocessor) SAME (memory \$2RAM ROM storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:01
12	L12	29	11 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:02
13	L13	338	725/132 725/140 725/152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:52
14	L14	42	13 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:52
15	L15	224	((1 TV CATV television) WITH (remov\$4 upgrad\$3 enhanc\$6 tun\$3 expans\$4 'plug in' 'plug-in') WITH (card means chassis modul\$2)) SAME (CPU microprocessor) SAME (memory \$2RAM ROM storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:23

	L #	Hits	Search Text	DBs	Time Stamp
16	L16	32	15 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:24
17	L17	3	16 NOT 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:02
18	L18	171653	(remov\$4 upgrad\$3 enhanc\$6 tun\$3 expans\$4 'plug in' 'plug-in') WITH (card means chassis modul\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:24
19	L19	95	13 AND 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:24
20	L20	19	19 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:26
21	L21	3091	725/131-153.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:25
22	L22	516	18 AND 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:25

	L #	Hits	Search Text	DBs	Time Stamp
23	L23	87	22 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:17
24	L24	66	23 NOT (12 14 20)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:17
25	L25	94	"5367571"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:17
26	L26	26	25 AND ((@ad <= "19921209") or (@rlad <= "19921209"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:38
27	L27	45	"5990927"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:39
28	L28	2	"5990927".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:39
29	L29	1	28 AND ((e electronic) NEAR2 (mail message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:40

	L #	Hits	Search Text	DBs	Time Stamp
30	L30	8651	18 SAME (CPU microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 14:52
31	L31	3429	18 SAME ((CPU microprocessor) WITH (hav\$3 compris\$3 includ\$3 enclos\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 14:53
32	L32	1782	18 WITH (has hav\$3 compris\$3 includ\$3 enclos\$3 consist\$3) WITH (CPU microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 14:55
33	L33	266	32 AND ((@ad <= "19931202") or (@rlad <= "19931202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:25
34	L34	173058	(improv\$6 remov\$4 upgrad\$3 enhanc\$6 tun\$3 expans\$4 'plug in' 'plug-in') NEAR8 (card means chassis modul\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:15
35	L35	28186	(improv\$6 remov\$4 upgrad\$3 enhanc\$6 tun\$3 expans\$4 'plug in' 'plug-in') NEAR8 (card means chassis modul\$2) NEAR8 (has hav\$3 compris\$3 includ\$3 enclos\$3 consist\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:24

	L #	Hits	Search Text	DBs	Time Stamp
36	L36	627	35 WITH (CPU microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:25
37	L37	32858	(improv\$6 remov\$4 upgrad\$3 enhanc\$6 tun\$3 expan\$4 'plug in' 'plug- in') NEAR8 (hardware software card means chassis modul\$2) NEAR8 (has hav\$3 compris\$3 includ\$3 enclos\$3 consist\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:45
38	L38	773	37 WITH (CPU microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:40
39	L39	224	38 AND ((@ad <= "19931202") or (@rlad <= "19931202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:51
40	L40	72228	"725"/\$.ccls. "348"/\$.ccls, "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:26
41	L41	245	39 AND40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:26

	L #	Hits	Search Text	DBs	Time Stamp
42	L42	27	39 AND 40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:27
43	L43	1906	hendricks.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:27
44	L44	21	42 NOT 43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:51
45	L45	0	(improv\$6 remov\$4 upgrad\$3 enhanc\$6 tun\$3 expan\$4 'plug in' 'plug- in') NEAR8 (printed NEAR2 circuit) NEAR8 (has hav\$3 compris\$3 includ\$3 enclos\$3 consist\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:50
46	L46	2227	(improv\$6 remov\$4 upgrad\$3 enhanc\$6 tun\$3 expan\$4 'plug in' 'plug- in') NEAR8 (printed NEAR2 circuit) NEAR8 (has hav\$3 compris\$3 includ\$3 enclos\$3 consist\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:37
47	L47	16	46 SAME 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:38

	L #	Hits	Search Text	DBs	Time Stamp
48	L48	16	46 WITH (CPU microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:09
49	L49	262583	(improv\$6 remov\$4 upgrad\$3 enhanc\$6 tun\$3 expan\$4 'plug in' 'plug- in') NEAR8 (hardware software card means chassis modul\$2 or ((printed circuit) NEAR2 (card board circuit)) 'plug in' 'plug-in')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:49
50	L50	732	49 NEAR8 (has hav\$3 compris\$3 includ\$3 enclos\$3 consist\$3) NEAR8 (CPU microprocessor microcontroller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 15:51
51	L51	226	50 AND ((@ad <= "19931202") or (@rlad <= "19931202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:05
52	L52	219	51 NOT 43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:06
53	L53	307	50 WITH (memory \$2RAM ROM storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:09

	L #	Hits	Search Text	DBs	Time Stamp
54	L54	93	53 AND ((@ad <= "19931202") or (@rlad <= "19931202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:09
55	L55	86	54 NOT 43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:10
56	L56	636	49 SAME 1 SAME (CPU microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:21
57	L57	446	56 SAME (memory \$2RAM ROM storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:21
58	L58	138	57 AND ((@ad <= "19931202") or (@rlad <= "19931202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:22
59	L59	126	58 NOT 43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:10
60	L60	1534	49 SAME (PC 'personal computer') SAME (CPU microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:21

	L #	Hits	Search Text	DBs	Time Stamp
61	L61	1043	60 SAME (memory \$2RAM ROM storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:22
62	L62	166	61 AND ((@ad <= "19931202") or (@rlad <= "19931202"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:22
63	L63	150	62 NOT 58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 16:22